



WEED PREVENTER

For Gardens

HERBICIDA
PREVENTIVO
PARA JARDINES

Prevents Weeds From Starting

*For all-season weed control around flowers, vegetables,
roses, trees, shrubs & groundcovers*



**All-Season
Weed Control**

**for 3
Months**

ACTIVE INGREDIENT:
Trifluralin.....1.47%
INERT INGREDIENTS98.53%
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back booklet for
additional precautions.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN Consulte el folleto en la parte posterior
para conocer las precauciones adicionales.

**Net Wt 5.625 lb
(2.5 kg)** 17-12472

GENERAL INFORMATION

What Expert Gardener® Weed Preventer for Gardens Does:
This product prevents many broadleaf and grass weeds from germinating around listed flowers, bulbs, vegetables, roses, trees, shrubs and ground covers. It provides all-season weed control, eliminating difficult and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger, and healthier. Do not apply to Ajuga, Myrtle or Pachysandra as injury may result.

This Product Prevents the Following Weeds from Germinating:
Grass Weeds: Annual Bluegrass, Barnyard Grass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Fall Panicum, Foxtail, Goosegrass, Johnsongrass (from seed), Junglerice, Lovegrass, Sandbar, Signalgrass, Stinkgrass, Sprangletop, Texas Panicum, Wildcane, Witchgrass and Woolly Cupgrass.

Broadleaf Weeds: Carelessweed, Carpetweed, Common Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kocchia, Lambsquarter, Pigweed (Spiny and Redroot), Purslane, Russian Thistle and Stinging Nettle.

This Product is Recommended for Use Around These Established Flowers, Bulbs, Shrubs, Trees, and Ground Covers:

Bulbs – Daffodil, Dahlia, Gladioli (corms at least 1" diameter) and Tulips.

Flowers – Achillea, African Daisy, Ageratum, Alyssum, Arctotis, Aster (Perennial), Baby's Breath, Balsam, Black-eyed Susan, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Coreopsis, Cornflower, Cosmos, Dianthus, Dimorphotheca, Dusty Miller, Floss Flower, Forget-Me-Not, Four O'Clock, Gaillardia, Geum, Golden Glow, Hollyhock, Impatiens, Isora (Coccinea), Lamb's Ears, Labelia, Lupines, Marigold, Morning Glory, Nasturtium, Nicotiana, Periwinkle, Petunia, Phlox, Poppy (California), Portulaca, Rose, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Snow On The Mountain, Statice, Stock, Sunflower, Sweet Alyssum, Sweet Pea, Sweet Sultan, Sweet William, Vinca, Yarrow and Zinnia.

Shrubs – Abelia, Acacia, Africa Sumac, American Arborvitae, American Cherry Laurel, Azalea, Barberr, Bougainvillea, Boxwood, Bottlebrush, Camellia, Carolina Jasmine, Century Plant, Cinquefoil, Cleyera, Common Lilac, Coloneaster, Grape Myrtle, Deutzia, Eleagnus, Euonymus, Forsythia, Fraser's Photinia, Gardenia, Heather, Hibiscus, Holly, Honeysuckle, India Hawthorn, Isora, Japanese Andromeda, Juniper, Lantana, Leucothoe, Mock-Orange, Mountain Laurel, Mugho Pine, Nandina domestica, Oleander, Osmanthus, Pieris Japonica, Pineapple Guava, Pittosporum, Privet, Pyracantha, Rhamnolepis, Rhododendron, Robira, Rose, Sakaki, Spiraera, Trumpet Honeysuckle, Viburnum, Weigela Bristol Ruby, Willow, Xylosma, Yew, Yewpine and Yucca.

Trees – Apple, Bald Cypress, Balsam Fir, Banana, Black Gum, Black Locust, Black Walnut, Canada Hemlock, Chilean Mesquite, Chinese Chestnut, Chinese Elm, Cottonwood, Crabapple, Dogwood Flowering, Douglas Fir, Eucalyptus, European White Birch, Ficus, Ginko, Honey Locust, Japanese Larch, London Plane Tree, Mahogany, Maple, Mexican Fan Palm, Oak, Palm, Paper Birch, Pine, Redbud, River Birch, Russianolive, Salix, Sourwood, Southern Magnolia, Spruce, Colorado Blue Spruce, Stone-Fruits, Sweetgum, Sycamore, Yulipfree, White Ash, White Mulberry, Willow and Yoshino Flowering Cherry.

Ground covers – Aaronsbeard, Asian Jasmine, Asparagus Fern, Beechgrass, Beach Strawberry, Bellflower (Adriatic), Bellflower (Puscharsky), Bigblue Lilyturf, Blue Fescue, Bunge, California Ivy, Ceanothus, Coreopsis, Coloneaster, Crown Vetch, Daisy Trailing African, Daylily, Dwarf Coyote Brush, Dwarf Peter Pan, Gazania, German Ivy (Algerian), Ivy (English), Largeleaf Ice Plant, Lily of the Nile, Lilrope, Marigold, Mascarene Grass, Myoporum, Pampas Grass, Periwinkle, Plumbago (Dwarf), Rockrose, Rose of Sharon, Rosemary, Rupturewort, Snow-in-Summer, Speedwell, St. Johnswort, Stonecrop (Sedum), Strawberry (Beach), Thrift-Sea-Pink, Tickseed, Variegated Carex, Verbena, Wirevine (Creeping), Yarrow (Woolly) and Zoyziagrass.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use as sod,

or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf course or lawns.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after application, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Use spreader in garden beds only. Do not use Expert Gardener® Weed Preventer for Gardens on lawns. Never use when planting seed except for the vegetables listed. Do not use with flower seeds.

When to Apply This Product in Home Gardens:
Early application is best for easy weed control all season long. Or, apply anytime around shrubs, trees and established plants. Before sowing listed vegetables by seed, apply product no earlier than 10 weeks prior to planting.

How to Apply This Product:
Since this product works by preventing weed seed germination, existing weeds must be removed before applying. Avoid over-application to prevent carryover problems with sensitive plants the following season. Do not use in enclosed areas such as greenhouses.

For Established Plant Application: Flowers, listed vegetables, ornamentals and trees: Sprinkle on soil surface (wearing rubber or plastic gloves or with a spreader) to match Example A (this is 1 oz per 10 sq ft). For best results, lightly water into soil after application.

Example A



For Pre-Planting Application: Prior to transplanting 2"-3" listed flowers, or less than 10 weeks prior to planting vegetable seed, apply in medium soil to match Example B and mix in (this equals 1 oz per 60 sq ft). Mix into soil with rake or roto tiller 1"-3" deep. Transplant. Do not apply after transplanting, except on Irish potatoes.

Example B



(See chart below for light or heavy soil.)

Application Rates For Mixing Into Soil:			
Soil Texture Rates*	Light (Sandy)	Medium	Heavy (Clay)
Use 1 weight ounce (1/4 cup) per	80 sq ft	60 sq ft	40 sq ft
Or 1 lb (4 cups) per	1,280 sq ft	960 sq ft	640 sq ft

*1 cup (tightly packed) equals 1/4 pound.

For Use in Home Vegetable Gardens

(1) **From Seed:** Carrots, Celery, Okra, Southern or Cow Peas, Field Peas, Black-Eyed Beans, Green Peas, Lima Beans, Snap Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Turnip Greens, Mustard Greens, Collard, Kale. **Treat prior to seeding.**

(2) **Post Emergent:** Cantaloupe, Cucumber, Watermelon. **Apply after plants are in 3 to 4 true leaf stage.**

(3) **Asparagus:** Established only. Apply after ferns are removed, but prior to spear emergence.

(4) **Before Transplanting:** Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes. **Make application to prepared soil and incorporate into the top 1 to 3 inches of soil prior to transplanting.**

(5) **Potato** (except Maine): May be applied after planting, before emergence or after emergence. Use care not to damage seed pieces in cultivating, nor to allow treated soil to contact emerged plant foliage. In all cases, cultivate Expert Gardener® Weed Preventer for Gardens into the soil after application, using care not to damage emerged crops.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-341-0020 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not

contaminate water by disposing of equipment washwaters.

Questions or Comments? Call 1-800-341-0020 or visit our website at www.expertgardener.org

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

INFORMACIÓN GENERAL

Lo que hace el herbicida preventivo para jardines Expert Gardener®:
Este producto evita que muchas malezas de hoja ancha y pastos germinen alrededor de los flores, bulbos, hortalizas, rosales, árboles, arbustos y cubresuelos indicados. Proporciona control de malezas durante toda la temporada, eliminando el desmalezamiento manual, arduo y que lleva mucho tiempo. Sin malezas que compitan por el espacio, los nutrientes y el agua, sus valiosas plantas pueden crecer más grandes, más fuertes y más saludables. No lo aplique a Ajuga, Mirto ni Pachysandra ya que les puede ocasionar daños.

Este producto evita la germinación de las siguientes malezas:
Malezas gramíneas: Annual Bluegrass, Barnyard Grass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Fall Panicum, Foxtail, Goosegrass, Johnsongrass (de semilla), Junglerice, Lovegrass, Sandbar, Signalgrass, Stinkgrass, Sprangletop, Texas Panicum, Wildcane, Witchgrass y Woolly Cupgrass.

Malezas de hoja ancha: Carelessweed, Carpetweed, Common Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kocchia, Lambsquarter, Pigweed (Spiny and Redroot), Purslane, Russian Thistle y Stinging Nettle.

Este producto se recomienda para usar alrededor de las flores, bulbos, arbustos, árboles y cubresuelos establecidos siguientes:

Bulbos – Narciso, Dalia, Gladiolo (cormos de al menos 1 pulgada de diámetro) y Tulipán.

Flores – Aquileia, Margarita Africana, Ageratum, Alyssum, Arctotis, Aster (Perenne), Velo de Novia, Balsamina, Rudbeckia, Caléndula, Amapola de California, Calliopsis, Clavel, Centaurea, Crisantemo, Coreopsis, Aciano, Cosmos, Dianthus, Dimorphotheca, Cineraria Gris, Agerato, Miosotis, Don Diego de Noche, Gaillardia, Geum, Golden Glow, Malvón, Alegria, Isora (Coccinea), Oreja de Liebre, Labelia, Lupinus, Caléndula, Campanilla, Nasturtium, Nicotania, Vinca, Petunia, Phlox, Amapola (California), Portulaca, Rosa, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Boca de Dragón, Velo de novia, Statice, Stock, Girasol, Aliso de Mar, Guisante de Olor, Centaura, Clavelinas, Vinca, Milenrama y Zinia.



WEED PREVENTER

For Gardens

HERBICIDA PREVENTIVO PARA JARDINES

WHAT IT DOES:

Prevents many broadleaf and grass weeds from germinating around listed flowers, bulbs, vegetables, roses, trees, shrubs and groundcovers

WHERE TO USE:

Use around established flowers, vegetables, trees and shrubs • Do not use on lawns

WHEN TO APPLY:

Apply anytime around trees, shrubs and established plants

TREATS:

Treats 3,600 sq ft



Guarantee

When you choose Expert Gardener products, you can be assured of the highest quality and performance in your lawn and garden. If for any reason you are not completely satisfied with this product, we will refund the purchase price you paid. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address at left. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.

Arbustos – Abelia, Acacia, Zumaque, Árbol de la Vida Americano, American Cherry Laurel, Azalea, Agrocejo, Buganvillas, Boj, Cepillo Rojo, Camelia, Carolina Jazmin, Pita, Cinconrama, Cleyera, Lila Común, Coloneaster, Árbol de Júpiter, Deutzia, Elaeagnus, Evónimo, Forsitía, Fotinia de Fraser, Gardenia, Brezo, Hibisco, Acebo, MadreSelva, Espino, India, Ixora, Pieris, Enebro, Lantana, Leucothoe, Jeringuilla, Laurel de la Montaña, Pino Enano, Nandina domestica, Adelfa, Osmanthus, Pieris Japonica, Guayabo, Pittosporum, Ligustro, Pyracantha, Rhamphilepis, Rododendro, Robira, Rosa, Sakaki, Espirea, MadreSelva Trompeta, Viburno, Weigela Bristol Ruby, Sauce, Xylosma, Tejo Europeo, Tejo Chino y Yuca.

Árboles – Manzana, Ciprés Calvo, Abeto Balsámico, Banano, Tupelo Negro, Acacia de flor blanca, Nogal Negro Americano, Tsuga del Canadá, Algarrobo Chileno, Castaño Chino, Olmo Chino, Chapo de Virginia, Manzana Silvestre, Cerezo Silvestre en Flor, Abeto Douglas, Eucalyptus, Abedul, Ficus, Ginko, Acacia de Tres Espinas, Alerce del Japón, Plátano, Caoba, Arce, Palma Mexicana, Roble, Palma, Abedul de Papel, Pino, Árbol de Judas, Abedul Negro, Olivo de Bohemia, Salix, Andrómeda Arborea, Magnolia del Sur, Abeto, Picea Azul, Frutas de Huesos, Liquidámbar Americano, Sicomoro, Tulipero, Fresno Blanco Americano, Morera Blanca, Sauce y Cerezo Yoshino en Flor.

Cubresuelos – Duraznillo, Jazmin de leche, Helecho Plumoso, Beechgrass, Beach Strawberry, Campanillas (Adriático), Campanillas (Poscharsky), Bigblue Lilyturf, Cañuela Ovina, Bunge, Hiedra de California, Ceanothus, Coreopsis, Coloneaster, Coronilla, Margarita del Cabo, Lirio Japonés, Arbusto del Coyote, Agapanto Enano, Gazania, Escordio, Hiedra (Argelia), Hiedra (Inglesa), Ficoida Glacial, Rosa del Nilo, Lilirape, Caléndula, Zoyisa tenuifolia, Myosporum, Hierba de las Pampas, Vinca, Plumbago (Enano), Jara, Rosa de Siria, Romero, Milenrama, Cerastio, Verónica, Hierba de San Juan, Stonecrop (Sedum), Fresa (Beach), Tuya Occidental, Coreopsis (Tickseed), Variegated Carex, Verberna, Wirevine (Enredadera), Milenrama (Lanoso) y Zoyisa.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

No se debe usar en plantas que se cultiven para la venta u otro uso comercial como grama en cepellón, ni para la producción de semillas comerciales, ni con fines de investigación. Para usar en plantas con propósitos estéticos o modificación climática que se cultiven en jardines ornamentales o parques, o en campos de golf o céspedes.

Limitaciones de entrada: No permita que las personas o las mascotas ingresen en el área tratada hasta que el polvo se haya asentado. Si es necesario regar después de la aplicación, no entre ni permita que otras personas entren en las áreas tratadas (excepto en las que se deben regar) hasta que se haya terminado de regar y la superficie esté seca.

Limitaciones de aplicación: No aplique este producto de modo que entre en contacto con personas o mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera del área durante la aplicación.

Use el difusor en lechos de jardín solamente. No use el herbicida preventivo para jardines Expert Gardener® en céspedes. Nunca use cuando siembre semillas excepto para las hortalizas indicadas. No use con semillas de flores.

Cuándo aplicar este producto en jardines residenciales:

Es mejor aplicar temprano para controlar más fácilmente las malezas durante toda la temporada. O aplique en cualquier momento alrededor de arbustos, árboles y plantas establecidas. Antes de sembrar semillas de las hortalizas indicadas, aplique el producto.

Cómo aplicar este producto:

Dado que este producto actúa evitando la germinación de las semillas, se deben quitar las malezas existentes antes de aplicarlo. Evite aplicar en exceso para prevenir problemas debido al remanente de producto con plantas sensibles la temporada siguiente. No use en áreas cerradas como invernaderos.

Para aplicar a plantas establecidas: Flores, hortalizas indicadas, plantas ornamentales y árboles: Espolvoree sobre la superficie de la tierra (usando guantes de goma o plástico o con un difusor) para coincidir con el Ejemplo A (esto es 1 oz. cada 10 pies cuadrados). Para obtener mejores resultados, riegue ligeramente el césped después de la aplicación.

Ejemplo A



Para aplicar antes de la siembra: Antes de trasplantar 2-3 pulgadas de las flores indicadas, o menos de 10 semanas antes de sembrar semillas de hortalizas, aplique en la mitad de la tierra para coincidir con el Ejemplo B y mezcle (esto equivale a 1 oz. cada 60 pies cuadrados). Mezcle en la tierra con rastrillo o arado rotatorio a una profundidad de 1-3 pulgadas. Trasplante. No aplique después de trasplantar, excepto en papas irlandesas.

Ejemplo B



(Vea el cuadro de abajo para tierra liviana o pesada.)

Dosis de aplicación para mezclar en la tierra:

Clasificaciones de textura de la tierra*	Ligera (arenosa)	Media	Pesada (arcillosa)
Use 1 onza de peso (1/4 taza) cada	80 pies cuadrados	60 pies cuadrados	40 pies cuadrados
O 1 lb. (4 tazas) cada	1,280 pies cuadrados	960 pies cuadrados	640 pies cuadrados

*1 taza (bien apretada) equivale a 1/4 libra.

Para usar en huertos residenciales

(1) **De semilla:** Zanahorias, Apio, Okra, Chicharos, Chicharo de Campo, Frijoles de Carita, Chicharos Verdes, Habas, Ejotes, Brócoli, Coles de Bruselas, Col, Coliflor, Nabo, Hojas de Mostaza, Col Rizada (Collard, Kale). **Tratar antes de la siembra.**

(2) **Post Emergente:** Melón, Pepino, Sandía. **Aplique después de que las plantas estén en la etapa de 3 a 4 hojas verdaderas.**

(3) **Espárragos:** Solamente establecidos. Aplique después de quitar los helechos pero antes de la emergencia de los brotes.

(4) **Antes de trasplantar:** Apio, Brócoli, Coles de Bruselas, Col, Coliflor, varios tipos de chiles y tomates. **Aplique a la tierra preparada e incorporar en la tierra antes de trasplantar.**

(5) **Papa** (excepto Maine): Se puede aplicar después de sembrar, antes de la emergencia o después de la emergencia. Tenga cuidado de no dañar las semillas que se están cultivando ni permitir que la tierra tratada entre en contacto con el follaje de las plantas que germinaron. En todos los casos incorpore el herbicida preventivo para jardines Expert Gardener® en la tierra después de la aplicación, teniendo cuidado de no dañar los cultivos que germinaron.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas y animales por medio del almacenamiento o la eliminación.

ALMACENAMIENTO DEL PESTICIDA: Mantenga cerrado el recipiente y lejos de los alimentos de las personas o los animales y los suministros de agua potable.

ELIMINACIÓN: Si está vacío: No vuelva a usar este envase. Tirelo en la basura, u ofrézcalo para reciclar, si existe esa opción.

Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto restante por un drenaje interno ni externo.

PRECAUCIONES

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

Precaución: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. El uso prolongado o el contacto reiterado con la piel pueden causar reacciones alérgicas a algunas personas. Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro. Los usuarios se deben quitar la ropa inmediatamente si el pesticida pasa a través de la misma. Luego deben lavarla muy bien y se deben poner ropa limpia.

PRIMEROS AUXILIOS

Si entra en contacto con los ojos	Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15-20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si se ingiere	Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre nada por la boca a una persona que haya perdido el conocimiento.
Si entra en contacto con la piel o la ropa	Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15-20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si es inhalado	Saque a la persona al aire fresco. Si no respira, llame al 911 o a una ambulancia. Luego adminístrele respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-341-0020 para obtener información sobre tratamiento médico de urgencia.	

RIESGOS PARA EL MEDIO AMBIENTE

Este pesticida es sumamente tóxico para peces e invertebrados de agua dulce, marinos y de estuario, incluidos camarones y ostras. No aplique directamente al agua. No aplique de una manera que exponga directamente canales, lagos, arroyos, estanques, pantanos o estuarios al arrastre aéreo. No contamine el agua cuando elimine las aguas de lavado del equipo.

¿Preguntas o comentarios? Llame al 1-800-341-0020.

Contact Us:



Website:
www.expertgardener.org



Phone:
1-800-341-0020

PROOF OF PURCHASE

UPC FPO
0 44579 41233 8



Distributed and guaranteed by Chemisco
Div. of United Industries Corp.

PO Box 142642
St. Louis, MO 63114-0642

MARKETED EXCLUSIVELY BY
Wal-Mart Stores, Inc.
Bentonville, AR 72716

EPA Reg. No. 9198-60-9688 EPA Est. Nos. 9198-AL-1 (A), 9198-OH-2 (B),
9198-OH-1 (M), 44616-MO-1 (C), 44616-GA-1 (D), 572-NJ-1 (T), 8660-AL-1 (BN),
8660-OH-1 (BO), 9688-MO-1 (U), 39578-TX-1 (AM), 69208-MO-1 (AO)

Circled letter is first letter of lot number. 17-12471 ©2007 UIC

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-341-0020 for emergency medical treatment information.

PRIMEROS AUXILIOS

Si entra en contacto con los ojos	Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15-20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si se ingiere	Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un centro de envenenamientos o un médico. No administre nada por la boca a una persona que haya perdido el conocimiento.
Si entra en contacto con la piel o la ropa	Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15-20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si es inhalado	Saque a la persona al aire fresco. Si no respira, llame al 911 o a una ambulancia. Luego adminístrele respiración artificial, preferentemente boca a boca, si es posible. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-341-0020 para obtener información sobre tratamiento médico de urgencia.